

# CERTIFICATE OF COMPLIANCE

Certificate Number □□UL-CA-2230492-0□□

Report Reference □□E479166-20220719□□

Date 29-Jul-2022

**Issued to:** Guangdong Done Power Technology Co., Ltd.  
No.3-1&3-2, Kanglong 3rd Road  
Henglan Town Zhongshan, Guangdong 528478  
China

**This is to certify that  
representative samples of**

FKSZ7 - Light-emitting-diode Drivers Certified for Canada  
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the  
Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** CSA C22.2 No. 250.13, 4th Ed., Issue Date: 2020-04,  
Revision Date: 2021-1

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE


Certificate Number □□UL-CA-2230492-0□□

Report Reference □□E479166-20220719□□

Date 29-Jul-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
DL-100W-V48*-MTG, * - Can be "S", "P" or "X". "S" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor. "P" = Dimming function by programming. "X" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor and AUX output: CV, 12VDC, 0.3A.	LED Drivers
DL-30W-V48*-MTG, * - Can be "S", "P" or "X". "S" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor. "P" = Dimming function by programming. "X" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor and AUX output: CV, 12VDC, 0.3A.	LED Drivers
DL-50W-V48*-MTG, * - Can be "S", "P" or "X". "S" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor. "P" = Dimming function by programming. "X" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor and AUX output: CV, 12VDC, 0.3A.	LED Drivers
DL-75W-V48*-MTG, * - Can be "S", "P" or "X". "S" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor. "P" = Dimming function by programming. "X" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor and AUX output: CV, 12VDC, 0.3A.	LED Drivers



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

Certificate Number □□UL-US-2231202-0□□

Report Reference □□E479166-20220719□□

Date 29-Jul-2022

**Issued to:** Guangdong Done Power Technology Co., Ltd.  
No.3-1&3-2, Kanglong 3rd Road  
Henglan Town Zhongshan, Guangdong 528478  
China

**This is to certify that  
representative samples of**

FKSZ - Light-emitting-diode Drivers  
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the  
Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** UL 8750, 2nd Ed., Issue Date: 2015-09-15, Revision Date:  
2021-09-23

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

Certificate Number 00UL-US-2231202-000

Report Reference 00E479166-2022071900

Date 29-Jul-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
DL-100W-V48*-MTG, * - Can be "S", "P" or "X". "S" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor. "P" = Dimming function by programming. "X" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor and AUX output: CV, 12VDC, 0.3A.	LED Drivers
DL-30W-V48*-MTG, * - Can be "S", "P" or "X". "S" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor. "P" = Dimming function by programming. "X" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor and AUX output: CV, 12VDC, 0.3A.	LED Drivers
DL-50W-V48*-MTG, * - Can be "S", "P" or "X". "S" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor. "P" = Dimming function by programming. "X" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor and AUX output: CV, 12VDC, 0.3A.	LED Drivers
DL-75W-V48*-MTG, * - Can be "S", "P" or "X". "S" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor. "P" = Dimming function by programming. "X" = 0-10V/PWM/Resistor Dimming Function with Adjustable Resistor and AUX output: CV, 12VDC, 0.3A.	LED Drivers



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

